


Bereavement

A self-help guide

Northumberland, Tyne and Wear **NHS**
NHS Trust

Reproduced with kind permission from
Northumberland, Tyne and Wear NHS Trust

Date of publication: Jan/07
Ref: 256AP/Central/Self-help/Bereavement
© Pennine Care NHS Trust



Coping with bereavement and grief

These are the experiences of three people who have suffered a bereavement.

“My father died six weeks ago after an 18 month struggle with cancer. Now, I can’t get the picture of him at his worst, pale, very thin and not able to sit up, out of my mind. I wish I could remember him as he was when he was well two years ago, but I can’t. I feel so guilty, I wish I could have done more. . .”

“After 45 years of marriage I lost my wife six months ago, thankfully she only had a short period of illness during which she never regained consciousness. I don’t seem to be able to cope with it, I still keep expecting her to walk through the door. I sometimes feel she is present during the night but always wake up disappointed. . .”

“My husband was killed in a car crash earlier this year, and I am left on my own to bring up my two small children. I feel so lonely and isolated, sleeping is a problem. At times I feel angry with my husband for leaving me to cope on my own even though I know this is the last thing he would have wanted for us. . .”

As you can see people can have quite different experiences when they lose someone close to them. This leaflet aims to help you to **understand** some of the emotions which may be faced during a bereavement or loss, to make some **practical suggestions** which may help you to get through this difficult time and to offer some basic details of **what needs to be done** when there is a death. At the back of the leaflet there are some addresses and telephone numbers of organisations which may be helpful to you.



Understanding grief

How do people feel when they have experienced bereavement?

Serious loss is something which we will all face at some time in our lives. This may be because of the death of someone close to us or it may be because of other circumstances such as the loss of our health or our home.

Many of us will not experience bereavement or loss until later in life and may have little opportunity to learn about death and about how people are affected by grief. It can seem difficult to know what is ‘normal’ and to understand how we or our families may respond when we face a loss.

You may think you are the only person who has felt the way you do. Whilst everyone’s response to a loss is a very individual experience, there are some common experiences that many people will share.

How do people feel in the early hours and days after the death of a close relative or friend?

People often describe shock soon after the death of such a person. They may feel **numb, panicky, very weepy** or **unable to cry at all**. Some people find it difficult to **sleep**, others may have many **physical symptoms** such as heart palpitations. Some people find they calmly go through the practical tasks surrounding the death, and worry that they may be seen as uncaring. This is just one of the signs of shock and it is most likely that they will feel the impact of the death at a later point. Some people find themselves completely unable to cope and need a lot of practical and emotional support from those around them at this point.



What sorts of feelings do people have weeks and months after a bereavement?

Some people feel a sense of **agitation** for quite a long time after the death. People may become very active at this time, doing things like cleaning out the whole house. This agitation can sometimes amount to **panic** and symptoms of **anxiety** such as breathlessness, palpitations, dry mouth, tingling and dizziness can be present.

People may feel they are 'going mad' because they have such odd experiences. People often report that they thought they saw, heard or felt the dead person near them or in the distance. These experiences are not unusual following a death.

These feelings may alternate with **depression, weepiness, tiredness and low mood.**

People may think or wonder "what's the point in going on?" They may feel **guilt**, and review the circumstances of the death, and their relationship with the person that has died. They may wonder what they could have done differently which might have helped the situation. This is also common when there has been relief at someone's death following a painful and prolonged illness. It is worth remembering that many people feel relief when suffering ends.

People also often do feel **angry** after a death. This can be directed at the dead person "why has he left me"? or at those around. Family members or people involved in caring for the dying person, may be the target for the bereaved person's anger. They might think or ask, "why didn't you do more?"



Other people's reaction may be difficult for the bereaved person. Sometimes people will be clumsy in what they say or do. Occasionally people will avoid contact with the bereaved person. These reactions are usually because people do not know what to do or say in the face of someone's grief. Sometimes other people do not realise that it can take a long time to begin to recover from a death.


When do people begin to recover from a bereavement?

Coming to terms with a death is a very **gradual process** which can take a considerable time. People usually find that gradually they are able to get on with their lives and think a little less about the person they have lost. Most people begin to feel like this within one or two years of the death of someone close to them. It may be difficult to accept the death of a loved one but possible to move on with life in spite of this.

It is important **not to feel guilty** if you are beginning to build a life for yourself following a death. It is quite normal to begin to recover and start to rebuild your life, and is not in any way disloyal to the memory of the person who has died.

Can tablets help?

Your doctor may offer you tranquillisers to help you through the early phase following the death. They can make you feel calmer and may help you in the short term but are not helpful for longer term use. Some people find that the numbing effect of tranquillisers does not allow them to experience grief during this time. Antidepressants can be helpful if the depression following bereavement becomes severe or prolonged.



What can a bereaved person do to help themselves?

Bereavement is always a difficult time but there are things you can do to help yourself through it.

- **Prepare** for the death of someone you are close to. It is important emotionally and practically to talk things over. If you are preparing for the death of your partner, discuss with them the jobs your partner used to do, sort out finances. Say all the things you would want to say.
- Carefully consider whether you want to see the body of the dead person. Some people may feel this is too distressing but can regret it later on if they have not done this. Follow your own feelings. There is no right or wrong thing to do, but do think it out.
- **Funeral arrangements** should be considered carefully. Try to have someone with you. Don't feel pressured into a funeral that is too expensive for your budget. Try and think about what *you really want*.
- Don't make **major changes** in your life, such as selling your **house, moving areas, jobs**, etc, until you have had time to adjust to the death. This is a time when people may make changes they can regret.
- Do make sure **you look after your own health**. This is a time when you may become prone to illness. Eat well, rest properly, take extra care. You may want to take vitamin supplements if your appetite is very poor.
- **Talk** to people about how you feel. Don't bottle things up. Go to your doctor if you feel you have no one you can talk to. He or she may suggest speaking to a counsellor.
- If your **health** is not good, consult your doctor.
- Keep up **contacts** and **relationships**. Accept invitations, invite people to visit, keep in touch with family and friends. Find out about local events/clubs/classes.

6


- **Ask** for help if you feel you are not coping. Talk to family, friends or your doctor.
- Do not enter into new **financial arrangements** without proper advice. Talk to a friend or family member.
- Do not turn to **drinking** to get you over this difficult time.
- Plan what you will do on anniversaries such as birthdays, Christmas, anniversary of death. It will help if you decide in advance how you want to spend these occasions which are likely to be emotional times.
- If you feel you are **stuck** or **not coping** at all well with your grief then contact your doctor to discuss this. Other organisations which may help are listed at the back of this booklet.

What can family and friends do to help?

Family and friends can help at this difficult time.

- **Spend time** with the bereaved person if that is what they want.
- **Talk and listen** to the bereaved person. Don't be afraid of saying the wrong thing – this is a situation many of us feel awkward about. It may help to admit that you don't know what to say if that is how you feel.
- Don't be surprised if the bereaved person wants to **talk** and go over the same ground again and again, this is quite usual.
- Don't take **anger or irritability** personally, it's part of the bereavement reaction.
- Talking about the dead person can be helpful for the grieving person and don't try and avoid mentioning them in everyday conversation.

7



- Offer **practical help** if the bereaved person wants this. Caring for children, help with shopping etc may be useful, especially in the early days following a death.
- **Don't expect** too much of the bereaved person initially even if they look as if they are coping.
- **Include** your relative in social events.
- Support your relative in building **new links**, social contact and interests.
- Try to discourage the bereaved person from making any **major decisions**, such as moving home, soon after the death. Support them in thinking through the options and implications of this.
- If your friend or relative seems **'stuck'** and not coping at all well, encourage them to seek help. The family doctor is a good place to start. Other organisations that may help are listed at the back of this booklet.

What practical things need to be done if there is a death?

- When someone dies at home a **doctor** must be called to sign a medical certificate. If the death has been sudden the doctor will have to talk to the police who will report it to the coroner. A post mortem examination may be arranged.
- When someone dies in hospital the **doctor** there will give you a medical certificate.
- Once you have the medical certificate you must take it to the register office and **register the death** within five days. The registrar will issue a death certificate and notification of disposal which should be given to the funeral director. Make a few copies of the death certificate. You may need these for pension and insurance purposes.



- A **funeral director** can be chosen before or after you have registered the death. Most people obtain a name from the telephone directory or by word of mouth. He or she will advise on the procedures for the funeral.
- Contact your **social security** office (local Benefits Agency) to arrange pension and other entitlements. You may be eligible for funeral payment or widow's payment. (There are guides to your entitlements available in the benefits agency.)
- Inform the **tax office** about your change in circumstances.
- You may want to put a **death notice** in the local or national papers.
- If there is a **will** the executors will make sure it is carried out. Contact the solicitor. If there is no will contact the Probate Registry for an application to administer the 'estate'. Your local Citizens' Advice Bureau can help you if you are not sure.

Useful organisations

Contact details of organisations which may be helpful to you are included below. Some of these organisations may have local branches and by ringing the number provided further details should be available. **Please note these details were correct at the time of going to press.**

Carers' National Association (Now called Carer's UK)

20-25 Glasshouse Yard, London, EC1A 4JT.

Tel: 020 7490 8818.


Carer's line - 0808 808 7777.

Compassionate Friends

(Support for parents following the death of a child at any age)

53 North Street, Bristol, BS3 1EN.

Tel: 0845 123 2304.



CRUSE Bereavement Line

Help line for bereaved people and those caring for bereaved people.
Tel: 0870 167 1677 (24 hour helpline).

Foundation for the Study of Infant Deaths

Artillery House, 11-19 Artillery Row, London, SW1P 1RT.
Tel: 020 7233 2090.

Jewish Bereavement Counselling Service

8/10 Forty Avenue, Wembley, Middlesex, HA9 8JW.
Tel: 0208 3851874.

Lesbian and Gay Bereavement Project

Counselling Department, Lighthouse West London,
111-117 Lancaster Road, London, W11 1QT.
Tel: 0207 403 5969.

Miscarriage Association

C/o Clayton Hospital, Northgate, Wakefield, WF1 3JS.
Tel: 01924 200 799 (24 hour answer phone).

Mind - Infoline: 08457 660163.

National Association of Bereavement Services

2nd Floor, 4 Pinchin Street, London, E1 6DB.
Helpline: 0207 709 9090.

Victim Support Scheme: 0845 3030 900.

National Debt Line

Help for anyone in debt or concerned they may fall into debt.
Tel: 0808 808 4000 (freephone).

NHS Direct - Telephone help line/Health Information Service.

Talk confidentially to a nurse or information officer.
Calls charged at local rate: Tel: 0845 4647.

Samaritans

Linkline (local rate). Tel: 08457 90 90 90.
Confidential support for anyone in a crisis.

Stillbirth and Neonatal Death Society

28 Portland Place, London, W1B 1LY.
Tel: 0207 436 5881.

Terence Higgins Trust (Aids Charity)

314-320 Gray's Inn Road
London, WC1X 8DP
Tel: 020 7812 1600

Suggested Reading*What to do After a Death in England and Wales*


A guide to what you must do and the help you can get. Leaflet D49
September 1997, available from the Benefits Agency Department of
Social Security.

What to do When Someone Dies

From Which? Castlemead, Gascoyne Way,
Hertford SG14 1LH, Telephone: 01992-589031.

Through Grief by Elizabeth Collick.

Published by Darton, Longman and Todd.
From Cruse Bereavement Care and from bookshops.
Also available on cassette (from Cruse only).



All in the End is Harvest edited by Agnes Whitaker.
Published by Cruse Bereavement Care.
Available from Cruse Bereavement Care for £8.95 + £1.50 p&p.

Bereavement

Help the Aged advice leaflet. Available from Cruse (see page 10) or
Help the Aged, 207-221 Pentonville Road, London N1 9UZ,
Tel: 0207 278 1114.

Dying by John Hinton.
(Pelican).

Facing Grief - Bereavement and the Young Adult by Susan Wallbank
from Cruse.

The Early Days of Grieving by Derek Nuttall (Beaconsfield).

A Grief Observed by C S Lewis (Faber).

If you need help to understand this document or you require it in
another format such as large print, spoken (on CD), or braille please
contact the number below.

إذا كنت في حاجة إلى مساعدة لفهم هذه الوثيقة أو تحتاجها بشكل آخر مثل الحروف
الكبيرة أو مسجلة على قرص أو CD أو بالبريل الرجاء الإتصال بي على رقم الهاتف الموجود
أسفل هذه الصفحة.
Arabic

আপনার যদি এই দলিলটি বুঝতে সাহায্যের প্রয়োজন হয় অথবা আপনি
এটাকে অন্য কোনো ফরম্যাটে বা ধরনে চান যেমন বড় অক্ষরে, মৌখিকভাবে
(সিডিতে) অথবা ব্রেইলে, তাহলে দয়া করে নীচের নম্বরে যোগাযোগ করুন।
Bangla

閣下如需要幫助來明白這文件或你有意索取
其他如大字印刷、口述(鐳射碟)或盲人用點字
等版本，請聯絡以下電話號碼。
Chinese

اگر برای درک مطالب این کتاب به کمک احتیاج دارید، یا مایل هستید آنرا به
شکل دیگر مانند چاپ درشت، صدا (روی سی ڈی)، یا خط بریل دریافت کنید
لطفاً با شماره زیر تماس بگیرید۔
Farsi

Si vous avez besoin d'aide pour comprendre ce document ou si vous en avez
besoin dans un autre format tel qu'en gros caractères, sur CD (disque
compact) ou en Braille, veuillez contacter le numéro ci-dessous.
French

આપને આ દસ્તાવેજમાં આપેલ માહિતીની સમજણ માટે સહાયની જરૂર હોય અથવા
અન્ય રૂપમાં, દા.ત. મોટી છપાઈમાં, સાંભળી શકો એવી રીતે (સીડીમાં) અથવા બ્રિલમાં
મેળવવા માંગતા હોય તો કૃપા કરી, નીચે જણાવેલ નંબર પર સંપર્ક સાધો.
Gujarati

Jesli masz trudnosci ze zrozumieniem tego dokumentu, lub
chcialbys/chcialabys otrzymac go w innej formie: np. wydruku wieksza
czcionka albo alfabetem Braille'a, badz tekstu audio nagranych na plyte
CD, skontaktuj sie z ponizszym numerem telefonu
Polish

ڪه ڇيڙي ڏع اسنادو باندي خان پوهه ولو بابت ڪيني ستاسي ته ڇه مرسته پڪار
وي، لڪه په غتبو ٽڪو ڪيني ليڪ شوي غواڙي يا په سي ڊي ڪيني بند آواز يا د رتدود
پاره خاص ليڪ شوي غواڙي نو مونڙ سره په لاندی ورکڙي شوي لمبر تماس ونيسی۔
Pushito

اگر آپ کو یہ دستاویز سمجھنے میں مدد چاہیے یا آپ کو اس کی مختلف صورتوں کی کھائی،
سی ڈی یا بریل میں درکار ہو تو درج ذیل نمبر پر رابطہ کریں۔
Urdu

